



FortiGate[®] Maximum Values Matrix

Version 3.0 MR7

Technical Note

FortiGate® Maximum Values Matrix Technical Note

Version 3.0 MR7

14 September 2009

01-30007-0391-20090914

© Copyright 2009 Fortinet, Inc. All rights reserved. No part of this publication including text, examples, diagrams or illustrations may be reproduced, transmitted, or translated in any form or by any means, electronic, mechanical, manual, optical or otherwise, for any purpose, without prior written permission of Fortinet, Inc.

Trademarks

Dynamic Threat Prevention System (DTPS), APSecure, FortiASIC, FortiBIOS, FortiBridge, FortiClient, FortiGate®, FortiGate Unified Threat Management System, FortiGuard®, FortiGuard-Antispam, FortiGuard-Antivirus, FortiGuard-Intrusion, FortiGuard-Web, FortiLog, FortiAnalyzer, FortiManager, Fortinet®, FortiOS, FortiPartner, FortiProtect, FortiReporter, FortiResponse, FortiShield, FortiVoIP, and FortiWiFi are trademarks of Fortinet, Inc. in the United States and/or other countries. The names of actual companies and products mentioned herein may be the trademarks of their respective owners.

Revision history

| Version | Date | Description of changes |
|---------------|-------------------|--|
| First Release | 23 October 2003 | FortiOS v2.50 |
| Release 2 | 9 March 2004 | Updated the DHCP address scopes and DHCP reserved IP/MAC pairs maximum values. Added FortiGate-800, FortiGate-4000, FortiGate-50A, and FortiWiFi-60. Updated Web filter and email filter maximum values. FortiOS v2.50 |
| Release 3 | 5 May 2004 | Complete change for FortiOS v2.80 |
| Release 4 | 17 August 2004 | Updated maximum numbers of Virtual Domains for NAT/Route and Transparent mode. Clarified Spam Filter limits. Removed model 2000. FortiOS v2.80 MR4 |
| Release 5 | 5 November 2004 | Corrected max number of protection profiles to 200 for models 3000 and up. |
| Release 6 | 25 February 2005 | Added 50AM, 60M, 100A, 200A, 300A, 400A, 500A models. Added statement the maximum values table shows maximum configurable values and is not a promise of performance. |
| Release 7 | 08 April 2005 | Removed items that depend on memory availability, including Web Filter and Spam Filter lists. Removed "(per virtual domain)" indications and added the statement that limits are global for globally configured features, per-VDOM for features configured in each VDOM. |
| Release 8 | 12 May 2005 | Corrected DHCP Servers entry. For models 200 and above, the maximum number of DHCP servers is 32 per VDOM, not 8. This is a long-standing error. |
| Release 9 | 4 October 2005 | Updated, reformatted for FortiOS v3.0. |
| Release 10 | 26 October 2005 | Changed number of interfaces for 100A to 64. |
| Release 11 | 28 April 2006 | Added new features, updated limits for existing features where required. Added VDOM/global limits to features that can be configured per VDOM and globally. NOTE: The feature <i>DHCP IP/MAC Bindings</i> is now referred to as <i>DHCP Reserved addresses</i> . |
| Release 12 | 19 June 2006 | Added new features for FortiOS v3.0 MR2 PD 19 June 2006. |
| Release 13 | 29 September 2006 | Added/updated features for FortiOS v3.0 MR3 PD 29 September 2006. |
| Release 14 | 29 December 2006 | Added/updated features for FortiOS v3.0 MR4 PD 29 December 2006. |
| Release 15 | 08 February 2007 | Corrected value in Router (NAT mode), Static, Static routes. |
| Release 16 | 11 April 2007 | Corrected system interface values, divided into Transparent and NAT mode. |
| Release 17 | 15 June 2007 | Added/updated features for FortiOS v3.0 MR5 PD 25 June 2007. |
| Release 18 | 15 January 2008 | Added/updated features for FortiOS v3.0 MR6 FCS 15 January 2008. Included increased values for remote authentication servers, increase in local users and static routes, addition of TACACS+ users, SSL VPN bookmarks, load-balancing monitors, router authentication paths, and removal of IPS anomalies. |

| Version | Date | Description of changes |
|----------------|-------------------|--|
| Release 19 | 15 May 2008 | Added the FortiGate-310B. |
| Release 20 | 26 August 2008 | Updated the values for MR7 and added the FortiGate-30B. |
| Release 20a | 14 September 2009 | Added the FortiGate-80 series, the 110 series, and the 620B. |

FortiGate maximum values

This table shows maximum configurable values and is not a promise of performance.

Limits are global for features that are global, per virtual domain for features that are configured for each VDOM. For information about global and per-VDOM features, see the System VDOM chapter of the *FortiGate Administration Guide* for your unit.

System interface limits have been split into two sets of values, one for Transparent mode and the other for NAT mode.

| Feature | | FortiGate Model | | | | | | | | | | | |
|-----------------|---|---|--|-------------|--------------------------|-------------------|-------------|-------------|------|-------------|-----------------------|-----------------------------------|-------------|
| | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| System | | | | | | | | | | | | | |
| Interface | Interfaces (VLAN + physical) per VDOM Transparent mode | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 | 255 |
| | Interfaces (VLAN + physical) per VDOM NAT mode | 256 | 256 | 256 | 4096 | 4096 | 4096 | 8192 | 4096 | 8192 | 8192 | 8192 | 8192 |
| | Secondary IP addresses per interface | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| | IPv6 prefix lists per interface | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| IPv6 tunnels | | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| Zones | | 20 | 20 | 20 | 50 | 50 ^H | 100 | 100 | 100 | 100 | 200 | 500 ^C | 500 |
| Zone interfaces | | ** See maximum values for system interfaces. ** | | | | | | | | | | | |
| DHCP | DHCP servers per VDOM | 8 | 8 | 8 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| | DHCP exclude ranges | 4 | 4 | 4 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| | DHCP reserved addresses | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| SNMP v1&v2c | Communities | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| | Community hosts | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| Admin | Accounts | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 550 |
| | Access profiles | 8 | 8 | 8 | 16 | 16 | 16 | 16 | 16 | 16 | 64 | 64 | 64 |
| Session-helper | | 32 | 32 | 32 | 32 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |

| | | FortiGate Model | | | | | | | | | | | |
|---|------------------------|---|--|-------------|--------------------------|-------------------|-------------|------------------|------|-------------|-----------------------|-----------------------------------|-------------|
| Feature | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| | | Session-TTL ports | | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 |
| Mac Wireless filters (*WiFi 60 only) | | | 64 | | | | | | | | | | |
| Mac Address table size | | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| VDOM link | | ** VDOM link is an interface. See maximum values for system interfaces. ** | | | | | | | | | | | |
| GRE tunnel | | ** GRE tunnel is an interface. See maximum values for system interfaces. ** | | | | | | | | | | | |
| ARP table size | | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| ARP proxy | | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| TOS-based priority | | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| Router (NAT mode) | | | | | | | | | | | | | |
| Static | Static routes | 100 | 100 | 100 | 500 | 500 | 500 | 500 | 500 | 500 | 10000 | 10000 | 10000 |
| Static6 | Static routes for IPv6 | 8 | 8 | 8 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| Policy | Policy routes | 16 | 16 | 16 | 100 | 100 | 100 | 250 ^F | 100 | 250 | 250 | 250 | 250 |
| Access-list | Entries | 32 | 32 | 32 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Rules per entry | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Prefix-list | Entries | 32 | 32 | 32 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Rules per entry | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Key-chain | Entries | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 16 | 100 | 100 | 100 |
| | Rules per entry | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| BGP | Confederation-peers | ** No set limit ** | | | | | | | | | | | |
| | Aggregate-addresses | ** No set limit ** | | | | | | | | | | | |
| | Neighbors | ** No set limit ** | | | | | | | | | | | |
| | Networks | ** No set limit ** | | | | | | | | | | | |
| Authentication paths | | ** No set limit ** | | | | | | | | | | | |

| Feature | | FortiGate Model | | | | | | | | | | | |
|--------------------|--------------------|---|--|-------------|--------------------------|-------------------|-------------|-------------|-------|-------------|-----------------------|-----------------------------------|-------------|
| | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| RIP | Networks | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Distribute lists | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Neighbors | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Offset lists | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| | Distances | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Passive interfaces | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| | Interfaces | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| OSPF | Areas | ** No set limit ** | | | | | | | | | | | |
| | Range of areas | ** No set limit ** | | | | | | | | | | | |
| | Virtual links | ** No set limit ** | | | | | | | | | | | |
| | Filter lists | ** No set limit ** | | | | | | | | | | | |
| | Interfaces | ** See maximum values for system interfaces. ** | | | | | | | | | | | |
| | Networks | ** No set limit ** | | | | | | | | | | | |
| | Neighbors | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | Passive interfaces | ** No set limit ** | | | | | | | | | | | |
| | Summary addresses | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| | Distribute lists | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Route | Map | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | Map rule | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Firewall | | | | | | | | | | | | | |
| Policies | VDOM | 200 | 500 ^A | 1000 | 2000 | 5000 | 5000 | 20000 | 5000 | 20000 | 50000 | 50000 | 50000 |
| | Unit | ** No set limit ** | | | 4000 | 10000 | 10000 | 40000 | 10000 | 40000 | 100000 | 100000 | 100000 |
| Policy pool names | | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| IPv6 policies | VDOM | 200 | 500 ^A | 1000 | 2000 | 5000 | 5000 | 20000 | 5000 | 20000 | 50000 | 50000 | 50000 |
| | Unit | ** No set limit ** | | | 4000 | 10000 | 10000 | 40000 | 10000 | 40000 | 100000 | 100000 | 100000 |
| Multicast policies | | 32 | 32 | 32 | 64 | 64 | 64 | 128 | 64 | 128 | 128 | 256 | 256 |
| DNS translations | | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 | 32 |

| Feature | | FortiGate Model | | | | | | | | | | | |
|------------------------------|-------------------------|--------------------|--|-------------|--------------------------|-------------------|--------------------|-------------|------|-------------|-----------------------|-----------------------------------|-------------|
| | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| Load balancing monitor (LDB) | VDOM | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 512 | 512 |
| | Unit | ** No set limit ** | | | | | | | | | | | |
| Addresses | VDOM | 500 | 500 | 500 | 1000 | 3000 | 6000 ^J | 6000 | 3000 | 6000 | 10000 | 10000 | 10000 |
| | Unit | ** No set limit ** | | | | 6000 | 12000 ^K | 12000 | 6000 | 12000 | 20000 | 20000 | 20000 |
| IPv6 addresses | VDOM | 500 | 500 | 500 | 1000 | 3000 | 3000 | 6000 | 3000 | 6000 | 10000 | 10000 | 10000 |
| | Unit | ** No set limit ** | | | | 6000 | 6000 | 12000 | 6000 | 12000 | 20000 | 20000 | 20000 |
| Address group | Groups/VDOM | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 4096 ^L | 4096 | 4096 |
| | Groups/Unit | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 10000 ^M | 10000 | 10000 |
| | Addresses per group | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| IPv6 address group | Groups/VDOM | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 4096 | 4096 | 4096 |
| | Groups/Unit | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 2500 | 10000 | 10000 | 10000 |
| Service | Predefined services | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | Custom services | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 4096 ^E | 4096 |
| Service group | Groups | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | Services per group | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| Schedules | One-time | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |
| | Recurring | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |
| Virtual IP | Virtual IPs | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 4096 ^E | 4096 |
| | VIP groups | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| | VIP servers | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| | Addresses per VIP group | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 1024 | 1024 |
| IP pools | | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 | 512 |
| Static IP/Mac bindings | | 256 | 256 | 256 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| Protection profiles | | 32 | 32 | 32 | 32 | 32 | 500 ^N | 500 | 32 | 500 | 500 | 500 | 500 |

| | | FortiGate Model | | | | | | | | | | | |
|-----------------------------|--------------------------|---|--|-------------|--------------------------|-------------------|-------------|-------------|------|-------------|-----------------------|-----------------------------------|-------------|
| Feature | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| VPN | | | | | | | | | | | | | |
| Certificate | Local | 200 | 200 | 200 | 200 | 500 | 500 | 500 | 500 | 500 | 500 ^P | 1000 | 1000 |
| | CA | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| | CRL | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| IPSec | Phase1 per VDOM | 5 | 50 ^B | 80 | 200 | 1500 | 1500 | 3000 | 1500 | 3000 | 5000 | 5000 | 5000 |
| | Phase1 per unit | ** No set limit ** | | | | 3000 | 3000 | 6000 | 3000 | 6000 | 10000 | 10000 | 10000 |
| | Phase1 interface | ** See maximum values for system interfaces. ** | | | | | | | | | | | |
| | Phase2 per VDOM | 5 | 50 ^B | 80 | 200 | 1500 | 1500 | 3000 | 1500 | 3000 | 5000 | 5000 | 5000 |
| | Phase2 per unit | ** No set limit ** | | | | 3000 | 3000 | 6000 | 3000 | 6000 | 10000 | 10000 | 10000 |
| | Phase2 interface | ** See maximum values for system interfaces. ** | | | | | | | | | | | |
| | Manual-keys per VDOM | 5 | 50 ^B | 80 | 200 | 1500 | 1500 | 3000 | 1500 | 3000 | 5000 | 5000 | 5000 |
| | Manual-keys per unit | ** No set limit ** | | | | 3000 | 3000 | 6000 | 3000 | 6000 | 10000 | 10000 | 10000 |
| | Manual-keys interface | ** See maximum values for system interfaces. ** | | | | | | | | | | | |
| | Concentrators | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 | 500 |
| Tunnels per concentrator | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 | 300 |
| SSL | Web bookmarks | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |
| User | | | | | | | | | | | | | |
| Local | Local users | 20 | 500 ^B | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 5000 ^D | 5000 |
| Radius | Servers | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| LDAP | Servers | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| TACACS+ | Servers | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |

| Feature | | FortiGate Model | | | | | | | | | | | |
|-----------------------------|---|-----------------|--|-------------|--------------------------|-------------------|------------------|-------------|------|-------------|-----------------------|-----------------------------------|-------------|
| | | 30 Series | 50, 60, and 80 Series (includes WiFi) | 100 100A | 110C, 111C, 200, 200A | 300, 310B 300A | 400 400A | 500 500A | 620B | 800 800F | 1000 Series & 2000 | 3000, 3600, 3600A 3016B, 3810A | 5000 Series |
| Windows AD | Active Directory groups per domain | 256 | 256 | 256 | 256 | 256 ^G | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 | 1024 |
| User Group | User groups | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 1024 | 100 | 100 | 100 | 100 |
| | Members per user group | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 | 350 |
| | FortiGuard override profiles | 32 | 32 | 32 | 32 | 32 | 500 ^N | 500 | 32 | 500 | 500 | 500 | 500 |
| Antivirus | | | | | | | | | | | | | |
| | File patterns for auto-submission to Fortinet | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| Intrusion Protection | | | | | | | | | | | | | |
| | Custom IPS signatures | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 | 256 |
| Web Filter | | | | | | | | | | | | | |
| | FortiGuard local catalog | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| IM/P2P | | | | | | | | | | | | | |
| | AIM users | 20 | 500 ^B | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| | ICQ users | 20 | 500 ^B | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| | MSN users | 20 | 500 ^B | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| | Yahoo users | 20 | 500 ^B | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 | 1000 |
| Logging | | | | | | | | | | | | | |
| | Traffic filter rules | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 | 50 |

(A) FortiGate 50 Series value = 200

(B) FortiGate 50 Series value = 20

(C) FortiGate-3000 value = 300

(D) FortiGate-3000 value = 1000

(E) FortiGate-3000 value = 1024

(F) FortiGate-500 value = 100

(G) FortiGate-310B value = 1024

- (H) FortiGate-310B value = 100
- (J) FortiGate-400 value = 3000
- (K) FortiGate-400 value = 6000
- (L) FortiGate-1000 value = 500
- (M) FortiGate-1000 value = 2500
- (N) FortiGate-400 value = 32
- (P) FortiGate-2000 value = 1000

FORTINET™

www.fortinet.com

FORTINET™

www.fortinet.com